

Working After Sunset

Facility:	Written By:	Approved By:	Date Created:	Date of Last Revision

Hazards Present:	PPE or Devices Required:	Additional Training Required:
Reduced visibility	Steel toed boots	
Moving equipment	Hi vis vests	
	Hard hats	
	Gloves	
	flashlights	

Safe Work Procedure:

- 1) The site supervisor will determine if the work for that day will cause workers to be working after sunset of in the dark.
- 2) Determine how many lights you will need
- 3) One light tower will provide enough light for about 4000 sq. feet. Arrange to have enough towers on site for work
- 4) Position light towers on stable bases and adjust lights to evenly cover entire work area
- 5) Ensure that all machinery and equipment that is being used during work has all lights and alarms fully functioning
- 6) Each worker is required to have a flashlight with them for when they are leaving the lit area or are travelling from one lit area to another
- 7) Reflective safety gear must remain on at all times.

If an emergency situation occurs while conducting this task, or there is an equipment malfunction, engage the emergency stop and follow the lock out procedure

REPORT ANY HAZARDOUS SITUATIONS TO YOUR SUPERVISOR

<p style="text-align: center;">Guidance Documents/Standards:</p> <p>MB Workplace Safety & Health Act & Regulations: Part 6 PPE Part 22 Powered Mobile Equipment Genera</p>	<p>This Safe Work Procedure will be reviewed any time the task, equipment or materials change and at a minimum of every three years</p> <p>Reviewed By WSH Committee:</p> <p>Date:</p>
---	--