Asbestos – Taking a Sample for Testing

Facility:	Written By:	Approved By:	Date Created:	Date of Last Revision

Hazards Present:		PPE or Devices R	Required:	Additional Training Required:
Inhaling friable asbestos dust		Respirator (if req	uired)	
		Gloves		
		Long sleeve shirt,	/pants	
		, ,	•	
		Safe Work	Procedure:	
1. Mate	erial should be sa	mpled when area is r	not in use/occu	ipied.
2. Wear		en taking a sample. If		navailable on site, take a small sample to
3. Use a	a clean knife to c	ut out a sample of tw		es, ensure cut penetrates through any
		ating in order to sam ag to contain the sam		r the material.
	•	-	•	n to remove any material which may have
-	red to it during s	-	in a uaitip cioti	n to remove any material which may have
			tura tha data	the location, the room and the person
	took the sample		lure, the uale,	the location, the room and the person
		courier to a lab for a		1-
	eme REPORT A	ergency stop and follo	ow the lock ou UATIONS TO Y	OUR SUPERVISOR
	eme	ergency stop and follo	ow the lock ou UATIONS TO Y This Safe V	t procedure OUR SUPERVISOR /ork Procedure will be reviewed any time
Guidand	eme REPORT A ce Documents/S	ergency stop and follo NY HAZARDOUS SITU tandards:	ow the lock ou UATIONS TO Y This Safe V the task,	t procedure OUR SUPERVISOR /ork Procedure will be reviewed any time equipment or materials change and at a
Guidano MB Workplace S	eme REPORT A ce Documents/S Safety & Health /	ergency stop and follo NY HAZARDOUS SITU tandards: Act & Regulations:	ow the lock ou UATIONS TO Y This Safe V the task,	t procedure OUR SUPERVISOR /ork Procedure will be reviewed any time equipment or materials change and at a minimum of every three years
Guidan MB Workplace S Part 6 – Pe	eme REPORT A ce Documents/S Safety & Health / ersonal Protectiv	ergency stop and follo NY HAZARDOUS SITU tandards: Act & Regulations: <i>ve Equipment</i>	ow the lock ou UATIONS TO Y This Safe V the task,	t procedure OUR SUPERVISOR /ork Procedure will be reviewed any time equipment or materials change and at a
Guidano MB Workplace S Part 6 – Pe Part 15 – Confir	eme REPORT A ce Documents/S Safety & Health / ersonal Protectiv ned Spaces Gene	ergency stop and follo NY HAZARDOUS SITU tandards: Act & Regulations: <i>The Equipment</i> tral Requirements	ow the lock ou UATIONS TO Y This Safe V the task,	t procedure OUR SUPERVISOR /ork Procedure will be reviewed any time equipment or materials change and at a minimum of every three years
Guidano MB Workplace S Part 6 – Pe Part 15 – Confir	eme REPORT A ce Documents/S Safety & Health / ersonal Protectiv	ergency stop and follo NY HAZARDOUS SITU tandards: Act & Regulations: <i>The Equipment</i> tral Requirements	ow the lock ou UATIONS TO Y This Safe V the task, Reviewed By	t procedure OUR SUPERVISOR /ork Procedure will be reviewed any time equipment or materials change and at a minimum of every three years
Guidano MB Workplace S Part 6 – Pe Part 15 – Confir	eme REPORT A ce Documents/S Safety & Health / ersonal Protectiv ned Spaces Gene	ergency stop and follo NY HAZARDOUS SITU tandards: Act & Regulations: <i>The Equipment</i> tral Requirements	ow the lock ou UATIONS TO Y This Safe V the task,	t procedure OUR SUPERVISOR /ork Procedure will be reviewed any time equipment or materials change and at a minimum of every three years