

Drywalling

Facility:	Written By:	Approved By:	Date Created:	Date of Last Revision

Hazards Present:	PPE or Devices Required:	Additional Training Required:
Muscle strain	Steel toed boots	
Cutting injury/amputation	Eye protection	
MSI	Hand protection	
	Dust Mask	

Safe Work Procedure:

Installation:

- 1) Wear all applicable PPE
- 2) When lifting and moving drywall, always use two people
- 3) Keep all cutting tools sharp and use the right tool for the job. Use a T-square or proper sized straight edge to help guide cuts.
- 4) Rotate work position or stretch often to reduce strain on your knees and back (kneeling; squatting; standing etc.).
- 5) Glue framing beams for drywall
- 6) Cut drywall to proper length
- 7) Place drywall in position
- 8) Tack drywall to wall beams(half-way down drywall)
- 9) Use power screwdriver to secure drywall
- 10) Repeat

If an emergency situation occurs while conducting this task, or there is an equipment malfunction, engage the emergency stop and follow the lock out procedure

REPORT ANY HAZARDOUS SITUATIONS TO YOUR SUPERVISOR

<p style="text-align: center;">Guidance Documents/Standards:</p> <p>MB Workplace Safety & Health Act & Regulations: 6 Personal Protective Equipment 8 Musculoskeletal Injury</p>	<p>This Safe Work Procedure will be reviewed any time the task, equipment or materials change and at a minimum of every three years</p>
	<p>Reviewed By WSH Committee:</p> <p>Date:</p>